

ERGONOMIC Solutions

for Working Environments



optimize
your
performance

- *Interactive Workstations*
- *Mobile Data Access*
- *Command & Control Consoles*
- *Carts & Racking Systems*
- *Mounting Solutions*
- *Custom Designs*
- *Accessories*

afc INDUSTRIES, INC.
Solution creators for working environments™
www.afcergonomic.com

HUMAN INTERFACE WITH MODERN TECHNOLOGY

Technology. It pervades our world. It has become a defining reality in our daily functions and work environments. Flooded with information, humans strive to harness it effectively, efficiently, and with excellence, for the benefit of all.

Enter... AFC Industries, a leading designer and manufacturer of ergonomic products that optimize human interface with modern technology.

Our mission is to create solutions that increase productivity, while maintaining an effective and efficient work environment.

AFC's relationships with leading business professionals in various industries uniquely positions the company to understand four key challenges facing today's top industries and institutions:

First, the cost to workers and institutions of today's technological work environments — fatigue, physical stress, and injuries resulting from heavy use of computers over long hours.

Second, burgeoning demand for "whenever—wherever" access to electronic records and other data.

Third, the need for flexible, durable products in multi-user 24/7 environments.

Fourth, mounting pressure to maximize return on investment in physical plant and human capital.

AFC's wide array of adjustable workstations, point-of-care carts, computer carts, wall mounts and accessories offer solutions that adapt to YOU. Designed with ergonomic intelligence for a wide range of users and needs, they reduce stress and injuries and help professionals work more comfortably and effectively.

Our products provide data access when and where it is needed, throughout work facilities. Ergonomic flexible features can be adapted to any user, in seated or standing positions.

AFC's products can be readily tailored to individual requirements and

preferences. Sales consultants and engineers are available to assist with both furniture and space design. The company builds to order, accommodates short lead times, and ships worldwide. Workstations, carts, and racks are built exclusively from reinforced steel for durability. Pressurized and scratch-resistant long-lasting laminates are available in a variety of colors. Items come fully assembled for optimal product protection, saving customers time and effort.

Join us for a tour of our catalog, and discover a world of intelligent, ergonomic solutions for human interface with the digital world.



Contents

Interactive Workstations 4

The Whitestone™	6
Deluxe Ergo Tier Cart™	8
Ergo Tier Cart™	12
Dual Tier Cart™	18
Single Tier Cart™	22

Mobile Data Access 30

Telescopic Cart™	32
PC Cart™	36
Laptop Cart™	42
Plasma Cart™	44
Upright Cart™	46
Pole Cart™	47

Command & Control Consoles 50

Control Consoles	52
Dispatch Consoles	56

Carts & Racking Systems 58

SmartRack™	60
IntelliCart™	62
SmartCart™	64
OmniBus™	70

Mounting Solutions 72

i-Center™	74
Wall Mounts	76
Video Wall	80
Floor Post	81


Custom Designs 82

Speakeasy Podium™	84
Custom Desks and Carts	86
Casegoods	89
Miscellaneous	90

Accessories 92

Partitions	94
LCD Monitor Arms/Holders	96
Laptop Arms, CPU Holders	100
Keyboard, Mouse, and other Workstation Accessories	100
Lighting, Glides & Casters	101
Cable Management and Power Solutions	101
Storage Accessories	101

Room Layout / Standard Colors 102





INTERACTIVE WORKSTATIONS. Flexible. Adjustable. Adapt to you!

Sit. Stand. Raise monitors. Lower monitors. Move them in. Move them out. These are the building blocks of an ergonomic workstation.

Different users. Different needs.

AFC workstations. Electronically height-adjustable at the touch of a button. Independent adjustment of monitor height and focal length for optimal viewing. Digital readouts to preserve and easily return to your ideal settings for surface and monitor placement. Available with surface tilt. A host of valuable features—ambient LED backlighting to ease eye strain and improve reading quality; a variety of monitor platforms; mounting solutions for the growing interest in large monitors; acoustical privacy partition to improve concentration; pop-up data port and built-in USB hub to facilitate neat and tidy use of ancillary equipment. And more.

Our flexible workstations and carts come in a wide variety of sizes, shapes, multi-tiered designs, and color options that accommodate virtually any location and workplace need. They can be enhanced with cabinetry, shelving, computer storage, and retractable features.

AFC workstations. Helping you perform better.

Interactive Workstations

NEW!



The Whitestone™6



Deluxe Ergo Tier Cart™8



Ergo Tier Cart™ 12



Dual Tier Cart™ 18



Single Tier Cart™ 22



The Whitestone™

THE WHITESTONE™ workstation is AFC's dream station, loaded with valuable new enhancements as well as a full array of electronics, lighting, power and cable management that facilitate performance, comfort, and ease of use. New for AFC is an environmental heating and cooling system controlled at the workstation, allowing for direct regulation of temperature and alleviating heat generated by computer equipment. A new monitor bracket supports large monitors weighing up to 50 lbs, responding to a growing interest in larger images. Digital readouts for all workstation settings—surface and monitor height and monitor focal length — enable every user to preserve and easily restore optimal settings. We have added acoustical properties to our wraparound privacy partition to reduce extraneous sounds and create a more quiet environment for concentration.

Topping off this premium workstation, we have introduced the handsome Swietenia (*Swee-TEEN-ee-uh*) laminate, to enhance the aesthetics of your work environment.

Complete electronic adjustment capabilities are the foundation of this highly adaptable workstation—for surface height in sit-stand positions, surface tilt, and both vertical and horizontal adjustment of monitors. Ambient LED backlighting with dimmer control alleviates eye strain and improves the readability of images. A pop-up data port and USB unit is built into the work surface for convenient and tidy connection of almost any ancillary digital or electronic device. Multi-channel cable management keeps wires neat and unobtrusive and allows for important separation of power and electric wiring.

The Whitestone™— delivering superior comfort and adaptability to the requirements of different users and the demands of the evolving digital world.

Dimmer switch for LED backlight

Electronic Adjustment:

- SURFACE HEIGHT
- SURFACE TILT
- MONITOR HEIGHT
- FOCAL LENGTH

Features and Benefits

- Electronic adjustment of work surface height and tilt
- Independent electronic adjustment of monitor height and focal length (forward/backward motion)
- Monitor bracket # AFC2530 supporting up to 50 lbs **NEW!**
- Digital readout of surface height
- Digital readout of monitor height and focal length, with memory settings **NEW!**
- Pop-up data ports and a built-in USB hub embedded in the work surface (see photo on page 9)
- Ambient LED backlighting with dimmer switch (see photo on page 9)
- Acoustical partition that reduces noise **NEW!**
- Advanced warm/cool air environmental control system regulated at the workstation **NEW!**
- Cold-rolled 11-gauge steel frame with epoxy-powder-coated finish
- Particle-board-core top with high-pressure laminate finish edged with bumper molding
- Split bottom shelves
- Wire manager
- Power strip
- Four-inch casters (two of them locking)


Specifications

- Work surface width: 84"
- Work surface depth: 36"
- Height from the floor:
 - Work surface: 28" to 47"
 - Monitors: 38" to 57"



Environmental heating and cooling system controlled at the workstation





Deluxe Ergo Tier Cart™ 72"W x 36"D with metal privacy partition affixed to the workstation

Deluxe Ergo Tier Cart™

THE DELUXE ERGO TIER CART™ is designed to meet the need for easy electronic adjustment, at the touch of a button, of the work surface height and independent monitor positioning for height and focal length, as well as work surface tilt within a 15° range of motion. Both seated and standing work positions are accommodated, and a digital readout for surface height is standard with the **Deluxe Ergo Tier™**.

Enhancing features for lighting, privacy, computer storage, ancillary equipment, and more are offered on an optional basis. They include an attached wrap-around privacy partition suited for rooms occupied by more than one person; full or split bottom shelves, ambient LED backlighting with dimmer switch, pop-up data ports and a built in USB hub recessed in the work surface; and built-in fans or an advanced environmental control system for warm and cool air. See **Optional Features and Benefits** on the next page for a more complete list of options.



Tilted position



Standing position

Electronic Adjustment:

- SURFACE HEIGHT
- MONITOR HEIGHT
- SURFACE TILT
- FOCAL LENGTH

Features and Benefits

- Electronic adjustment of work surface height and tilt
- Electronic adjustment of monitor height and focal length (forward/backward motion)
- Cold-rolled 11-gauge steel frame with epoxy-powder-coated finish
- Particle-board-core top with your choice of high-pressure laminate finish edged with bumper molding
- Multiple colors available (for standard colors, see page 103)
- Four-inch casters (two of them locking)
- Glides and additional accessories available (see page 92)

Specifications

- Work surface width: 60", 66", 72", 84", 96"
- Work surface depth: 30", 34", 36"
- Height from the floor:
 - Work surface: 28" to 47"
 - Monitors: 38" to 57"
- Custom sizes available

Optional

- Metal privacy partition affixed to the workstation, with or without acoustical material
- Advanced warm/cool air environmental control system regulated at the workstation (for tables 84" wide and up) **NEW!**
- Digital readout of monitor height and focal length, with memory settings **NEW!**
- Monitor bracket supporting up to 50 lbs **NEW!**
- Adjustable ambient LED backlighting with dimmer switch
- Pop-up data ports and a built-in USB hub embedded in the work surface
- Full or split bottom shelves



LCD Monitor Arms on telescopic drives with electronic adjustment of monitors' height and focal length



Adjustable LED backlight with dimmer switch



Pop-up units include Ethernet network and parallel ports as well as standard AC power outlets and can be customized to a site's particular needs.



Separate USB units include four ports, so you can easily connect and use almost any digital device while remaining seated.




Our partitions can be free-standing (see picture below) or affixed to the floor or cart (see page 95).



A. Deluxe Ergo Tier Cart™ 60"W x 36"D:

- LCD Monitor Arms on telescopic drives # AFCERGO03
- Adjustable Phone Arm # TA002
- Ergonomic Foot Rest # FR002
- Glides # GLID-ADJ



B. Deluxe Ergo Tier Cart™ 72"W x 36"D:

- LCD Monitor Arms on telescopic drives # AFCERGO03
- Adjustable Phone Arm # TA002
- Ergonomic Foot Rest # FR002

Our *AmbiTask Light Combo* can be controlled with independent dimmer switches for total operator management of workstation lighting.



C. Deluxe Ergo Tier Cart™ 72"W x 36"D:

- LCD Monitor Arms on telescopic drives # AFCERGO03
- AmbiTask Light Combo # AMBL001
- Adjustable Phone Arm # TA002
- CPU Holder # CPU-07
- Wire Manager # WMF200
- Split bottom shelf



D. Deluxe Ergo Tier Cart™ 96"W x 36"D:

- LCD Monitor Arms on telescopic drives # AFCERGO04
- Swinglift Keyboard Arm # KA7001 with Custom Tray
- AmbiTask Light Combo # AMBL001
- Adjustable Phone Arm # TA002



Ergo Tier Cart™ EFX 72"W x 30"D
(top shelf and accessories are optional)

Ergo Tier Cart™

THE ERGO TIER CART™ has independent, electronic height adjustment of the work surface and monitor platform. The monitors can be retracted toward and away from the user, either manually or electronically.

The Ergo Tier™ is available with a full range of accessories to ensure comfort and convenience. Cable management keeps wires neat and unobtrusive, while dimmer-controlled task lighting illuminates the work surface at the desired intensity, reducing eye strain and glare. Adjustable phone and dictation arms keep the equipment within reach, while leaving work surfaces clutter-free.

Other useful features include CPU/UPS holders, a sturdy footrest to ease back strain, and even a metal cup holder positioned to avoid spills. Four-inch locking casters facilitate easy movement.



Seated position



Standing position

Electronic Adjustment:

- SURFACE HEIGHT
- MONITOR HEIGHT
- FOCAL LENGTH (OPTIONAL)

Features and Benefits

- Electronic adjustment of work surface height
- Electronic adjustment of monitor platform height
- Electronic or manual adjustment of monitor platform focal length (forward/backward motion)
- Cold-rolled 11-gauge steel frame with epoxy-powder-coated finish
- Particle-board-core top with your choice of high-pressure laminate finish edged with bumper molding or T-molding
- Multiple colors available (for standard colors, see page 103)
- Four-inch casters (two of them locking)
- Glides and additional accessories available (see page 92)

Specifications

- Width: 48", 60", 72", 84", 96"
- Depth: 30", 34", 36"
- Height from the floor:
 - Work surface: 28" to 47"
 - Monitors: 38" to 57"

Optional

- Metal privacy partition affixed to the workstation, with or without acoustical material
- Advanced warm/cool air environmental control system regulated at the workstation (for tables 84" wide and up) **NEW!**
- Digital readout of monitor height and focal length, with memory settings **NEW!**
- Monitor bracket supporting up to 50 lbs **NEW!**
- Adjustable ambient LED backlighting with dimmer switch
- Pop-up data ports and a built-in USB hub embedded in the work surface
- Wire manager
- Top shelf
- Full or split bottom shelves



LED Task Light



Pop-up Data and Power Ports




Metal Cup Holder



Our cable management keeps wires neat and unobtrusive.


Work Surface Shapes¹



¹ Availability of shape depends on size of the cart


ELECTRONICALLY ADJUSTABLE MONITOR PLATFORMS

EFX Series




- Electronic adjustment of monitor height
- Electronic adjustment of monitor focal length
- Side wings allow outer monitors to form an arc

FX Series



- Electronic adjustment of monitor height
- Manual adjustment of monitor focal length
- Side wings allow outer monitors to form an arc

ZX Series



- Electronic adjustment of monitor height
- Manual adjustment of each monitor focal length
- Horizontal sliding of each monitor on the track

RX Series



- Electronic adjustment of monitor height
- Horizontal sliding of each monitor on the track
- Option:** extended monitor arms # AFC18 at both ends provide comfortable parabolic viewing shape

View your Monitor Platforms options in action!



A. Ergo Tier Cart™ 60"W x 34"D with FX Monitor Platform:

- Soft Ergonomic work surface shape
- LCD Monitor Arms on telescopic drives # AFCERGO03
- Adjustable Phone Arm # TA002
- Metal Cup Holder with clamp # MCH-100
- Bottom shelf
- Foot Rest # FR010



B. Ergo Tier Cart™ 72"W x 46"D with EFX Monitor Platform:

- Top shelf
- Custom work surface shape
- LCD Monitor Arms on telescopic drives # AFCERGO04
- Three desk-mount CPU Holders # CPU-01
- Foot Rest # FR002



C. Ergo Tier Cart™ 72"W x 36"D with ZX Monitor Platform:

- Soft Ergonomic work surface shape
- Z-series Monitor Arms on telescopic drives # AFCERGO04_Z
- Two desk-mount CPU Holders # CPU-01
- Two split bottom shelves



D. Ergo Tier Cart™ 60"W x 36"D with RX Monitor Platform:

- Bean-shaped work surface
- LCD Monitor Arms on telescopic drives # AFCERGO06_RAIL2
- Keyboard Arm # KA6000
- Keyboard Tray # TR2000 with retractable Mouse Tray
- Bottom shelf



You can combine one of our electronically adjustable monitor platforms shown on the left with any work surface shape from page 13.

Find the bottom shelf options of your choice!

- E. Ergo Tier Cart™ 72"W x 34"D with FX Monitor Platform:**
- Deep Ergonomic work surface shape
 - LCD Monitor Arms on telescopic drives # AFCERGO03
 - Keyboard Arm # KA6000
 - Keyboard Tray # TR3000
 - Full bottom shelf



- F. Ergo Tier Cart™ 72"W x 34"D with FX Monitor Platform:**
- Soft Ergonomic work surface shape
 - LCD Monitor Arms on telescopic drives # AFCERGO04
 - Pencil Drawer # PD002
 - Two split bottom shelves



- G. Ergo Tier Cart™ 72"W x 34"D with ZX Monitor Platform:**
- Soft Ergonomic work surface shape
 - Z-series Monitor Arms on telescopic drives # AFCERGO04_Z
 - Adjustable CPU Holder



Ergo Tier Corner Cart™ Specifications


Overall work surface width	a	48", 60", 72", 84", 96"
	b	48", 60", 72", 84", 96"
Work surface depth	c	24", 30", 36"
	d	24", 30", 36"
Height of work surface from the floor		28" to 47"



- H. Ergo Tier Cart™ 72"W x 72"W x 24"D x 24"D with FX Monitor Platform:**
- Corner work surface Shape III
 - Two sets of LCD Monitor Arms on telescopic drives # AFCERGO03
 - Pencil Drawer # PD002
 - Two adjustable CPU Holders # CPU 13-25



- I. Ergo Tier Cart™ 72"W x 84"W x 30"D x 30"D with FX Monitor Platform:**
- Corner work surface Shape I
 - LCD Monitor Arm on telescopic drives # AFCERGO04
 - Keyboard Arm # KA6000
 - Keyboard Tray # TR2000 with retractable Mouse Tray
 - Adjustable Phone Arm # TA002
 - Dictation Arm # TA003B
 - Bottom shelf



Corner Work Surface Shapes¹

¹ Availability of shape depends on size of the cart



- J. The JW Treadmill Desk™ 83"W x 56"W x 21"D x 21"D with FX Monitor Platform:**
- AFC Industries, with feedback from our customers, designed this ergonomic console that accommodates a variety of exercise devices, like treadmills, exercise bikes, or a stair stepper.
- Custom work surface shape
 - LCD Monitor Arms on telescopic drives # AFCERGO05

Bottom Workstation Options



Dual Tier Cart™ 120"W x 34"D
(modesty panel and accessories are optional)



Both tiers at same height



Raised back tier



Bifocal position
(lower back tier)

Dual Tier Cart™

THE DUAL TIER CART™ is ideal for professionals who require two independently adjustable surfaces to perform their tasks. At the touch of a button, the Dual Tier™ lets you adjust the height of the monitors and work surfaces from a seated to a standing position.

In its bifocal position, the monitors are lower than the work surface, ensuring a comfortable viewing angle. This flexibility delivers optimum body positioning and comfort.

Why adjust yourself to your workstation when the Dual Tier Cart™ adjusts to you?

Features and Benefits

- Independent electronic height adjustment of both tiers
- Customized ergonomic work surfaces available
- Cold-rolled 11-gauge steel frame with epoxy-powder-coated finish
- Particle-board-core top with your choice of high-pressure laminate finish edged with bumper molding
- Multiple colors available (for standard colors, see page 103)
- Four-inch casters (two of them locking)
- Glides and additional accessories available (see page 92)

Optional

- Digital readout of tier 2 height


Electronic Adjustment:

- TIER 1 HEIGHT
- TIER 2 HEIGHT



A. Dual Tier Cart™ 60"W x 36"D:

- Standard work surface shape
- Four Z-series Monitor Arms # AFCZ500-01
- Adjustable CPU Holders # CPU 13-25
- Goose Neck Task Light # TAL200A
- Wire Manager # WMF100
- Bottom shelf



Work Surface Shapes¹

¹ Availability of shape depends on size of the cart

Dual Tier Cart™ Specifications			
Work surface shape	Standard	Banana Corner	Corner
Work surface width	48", 60", 72", 84", 96"	64", 72"	48", 60", 72", 84", 96"
Total depth	32", 36", 40", 44"	64", 72"	68" – 112"
Back tier depth	16", 20", 24"	16"	16", 20", 24"
Front tier depth	12", 16"	16"	12", 16"
Return depth	—	—	18", 24"
Front tier overall depth	—	—	48", 60", 72", 84"
Height of work surface from the floor ranges from 28" to 47"			



B. Dual Tier Cart™ 48"W x 36"D:

- Standard work surface shape
- Back modesty panel



The Dual Tier's two height-adjustable surfaces allow it to accommodate different viewing positions for any user

C. Dual Tier Cart™ 60"W x 36"D:

- Standard work surface shape
- Two clamp-mount Monitor Arms # AFC02
- Phone Arm # TA002
- AmbiTask Light Combo # AMBL001
- Metal Cup Holder with clamp # MCH-100
- Bottom shelf
- Foot Rest # FR010



Clamp-mount Monitor Arm # AFC02

D. Dual Tier Cart™ 60"W x 36"D:

- Standard work surface shape
- Two clamp-mount Monitor Arms # AFCFLEXOARM
- Retractable Keyboard Tray # KB01
- Wire Manager # WMF200
- Mobile storage cabinet



Retractable Keyboard Tray # KB01

E. Dual Tier Cart™ 60"W x 36"D:

- Standard work surface shape
- Two clamp-mount Monitor Arms # AFC02
- Two clamp-mount Monitor Arms # AFCFLEXOARM
- Storage cabinet on bottom shelf



Clamp-mount Monitor Arms # AFC02 and # AFCFLEXOARM



F. Dual Tier Cart™ 64"W x 64"D:

- Banana Corner work surface shape
- CPU Holder



G. Dual Tier Cart™ 64"W x 64"D:

- Banana Corner work surface shape
- Four clamp-mount Monitor Arms # AFC02
- Corner split bottom shelf

H. Dual Tier Cart™ 72"W x 36"D:

- Standard work surface shape
- Z-series Monitor Arms # AFCRAILZ04-3CLAMP
- Two split bottom shelves
- Foot Rest # FR010



I. Dual Tier Cart™ 72"W x 44"D:

- Standard work surface shape
- Retractable Keyboard Tray # KB01
- Bottom shelf
- Glides # GLID-ADJ



J. Dual Tier Cart™ 72"W x 72"D:

- Corner work surface shape
- Bottom shelf

K. Dual Tier Cart™ 72"W x 72"D:

- Double Corner work surface shape
- Three Z-series Monitor Arms # AFCZ500-02
- Two CPU Holders



NEW




Single Tier Cart™ 48"W x 24"D

Single Tier Cart™

THE SINGLE TIER CART™ is the perfect choice when different positions are required from a single workstation. With a full range of design options and accessories, the Single Tier Cart™ is adaptable to any work environment. Electronic height adjustment makes the Single Tier Cart™ versatile for multiple users.

A. Single Tier Cart™ 48"W x 30"D:

- Flipper Cabinet with two doors # FC
- Standard work surface shape
- Keyboard Arm # KA6000
- Keyboard Tray # TR2000 with retractable Mouse Tray
- Phone Arm # TA002
- Pedestal # P2BBF19MF
- Partitions with a clear Plexiglas top



Features and Benefits

- Electronic adjustment of work surface height
- Variety of surface shapes available
- Cold-rolled 11-gauge steel frame with epoxy-powder-coated finish
- Particle-board-core top with your choice of high-pressure laminate finish edged with T-molding/ bumper molding
- Multiple colors available (for standard colors, see page 103)
- Four-inch casters (two of them locking)
- Glides and additional accessories available (see page 92)

Specifications


- Width: 36", 48", 60", 72", 84", 96"
- Depth: 24", 30", 36"
- Height of work surface from the floor: 28" to 47"
- Custom sizes available



Electronic Adjustment:

- SURFACE HEIGHT

Molding



The round edges of your desk reduce pressure on the palm side of your wrist

Work Surface Shapes



Standard

for all widths



Standard w/ cutout

for tables 48" wide and up



Soft Ergonomic

for all widths



Light Ergonomic

for tables 60" wide and up



Deep Ergonomic

for tables 48" wide and up



Bean-shaped

for tables 48" wide and up



Ergonomic Hexagon

for tables 60" wide and up



ErgoHex w/ Cutout

for tables 72" wide and up

B. Single Tier Cart™ 36"W x 24"D:

- Standard work surface shape
- Keyboard Arm # KA6000
- Keyboard Tray # TR2000 with retractable Mouse Tray
- Bottom shelf

C. Custom Single Tier Cart™ 36"W x 30"D:

- Soft Ergonomic work surface shape
- Clamp-mount Monitor Arms # AFC02
- Pencil Drawer # PD002
- Retractable File Holder
- CPU Holder # CPU-01
- Back modesty panel



Pencil Drawer # PD002 and retractable File Holder

D. Single Tier Cart™ 48"W x 24"D:

- Top shelf
- Standard work surface shape
- Keyboard Arm # KA6000
- Custom Keyboard Tray
- CPU Holder # CPU-01
- Back modesty panel
- Handle
- Full bottom shelf



E. Single Tier Cart™ 60"W x 30"D:

- Standard work surface shape
- Keyboard Storage Drawer # KSD01
- Two adjustable CPU Holders
- UPS Holder
- Split bottom shelf
- Glides # GLID-ADJ



F. Single Tier Cart™ 72"W x 30"D:

- Custom work surface shape
- Z-series Monitor Arm # AFCZ500-02
- Swinglift Keyboard Arm # KA7001 with Custom Tray
- Glides # GLID-ADJ



G. Single Tier Cart™ 72"W x 30"D:

- Top shelf
- Soft Ergonomic work surface shape
- Z-series Monitor Arms for three monitors # AFCRAILZ03
- Pencil Drawer # PD002
- CPU Holder # CPU-07
- Partition 72"W x 60"H
- Two split bottom shelves



H. Single Tier Cart™ 48"W x 24"D:

- Standard work surface shape
- Z-series Monitor Arm # AFCZ500-06
- Two adjustable CPU Holders
- Bottom shelf



I. Single Tier Cart™ 60"W x 30"D:

- Top shelf
- Bean-shaped work surface
- Two clamp-mount Monitor Arms # AFC02
- Keyboard Arm # KA6000
- Keyboard Tray # TR2000 with retractable Mouse Tray
- Adjustable CPU Holder
- Bottom shelf



J. Single Tier Cart™ 66"W x 33"D:

- Bean-shaped work surface
- Z-series Monitor Arm # AFCZ500-05
- Keyboard Arm # KA6000
- Keyboard Tray # TR2000 with retractable Mouse Trays
- Adjustable CPU Holders # CPU 13-25
- Phone Arm # TA002
- Pop-up data ports # DPA-01
- Metal Cup Holder with clamp # MCH-100
- Wire Manager # WMF100



K. Single Tier Cart™ 84"W x 36"D:

- Standard work surface shape
- Z-series Monitor Arm for three LCD monitors # AFCZ500-03
- Two Z-series Arm for speakers # AFCZ500-01
- Three 3U Rack Mounts
- Adjustable CPU Holder # CPU 13-25



Z-series Monitor Arm # AFCZ500-06



Clamp-mount Monitor Arm # AFC02



Z-series Monitor Arm # AFCZ500-05

Bottom Workstation Options

Configure your own Single Tier Cart™ with our **INTERACTIVE BUILDER** at www.afcergonomic.com/singletier

L. Single Tier Cart™ 84"W x 24"D:

- Soft Ergonomic work surface shape
- Z-series Monitor Arms for five monitors # AFCRAILZ05-5CLAMP
- Pencil Drawer # PD002
- Two split bottom shelves



M. Single Tier Cart™ 84"W x 36"D:

- ErgoHex with Cutout work surface shape
- Articulating Arm for four monitors # AFCFLEXO_4
- Keyboard Arm # KA6000
- Keyboard Tray # TR3000
- CPU Holder # CPU 13-25
- Back and side modesty panels



N. Single Tier Cart™ 96"W x 36"D:

- Standard with Cutout work surface shape
- Articulating Arm for five monitors # AFCFLEXO_5
- Pencil Drawer # PD002
- Two CPU Holders # CPU-01
- Bottom shelf



Single Tier Corner Cart™ 84"W x 90"W x 30"D x 36"D

AA. Single Tier Corner Cart™ 48"W x 48"W x 24"D x 24"D:

- Corner work surface Shape I
- Swinglift Keyboard Arm # KA7001
- Keyboard Tray # TR3000
- Bottom shelf



BB. Single Tier Corner Cart™ 48"W x 72"W x 18"D x 18"D:


- Corner work surface Shape II
- Two Z-series Monitor Arms # AFCZ500-01
- Keyboard Arm # KA6000
- Keyboard Tray # TR3000
- CPU Holder # CPU-07
- Two split bottom shelves



A modification of the **Single Tier Cart™**, this handsome design is just right for maximizing your workspace in executive suites and welcome areas. Ergonomically designed work surfaces compliment electronic height adjustment, enhancing the functionality and versatility of this **Single Tier Corner Cart™**.

Select a work surface shape below, or have us customize a surface shape that best fits your requirements.

Single Tier Corner Cart™ Specifications	
Overall work surface width	48", 60", 72", 84", 96"
	48", 60", 72", 84", 96"
Work surface depth	18", 24", 30", 36"
	18", 24", 30", 36"
Height of work surface from the floor	28" to 47"



Corner Work Surface Shapes¹

¹ Availability of shape depends on size of the cart

CC. Single Tier Corner Cart™
56"W x 54"W x 30"D x 24"D:

- Clipboard Holder # WCH-100
- Corner work surface Shape III
- Phone Arm # TA002
- Retractable Pencil Drawer # PD002
- CPU Holder CPU-01
- Partition
- Fluorescent Under-Shelf Light 18" wide # TAL300F
- Glides # GLID-ADJ



DD. Single Tier Corner Cart™
72"W x 72"W x 24"D x 24"D:

- Flipper cabinet with three doors # FC
- Corner work surface Shape I
- Three clamp-mount Monitor Arms # AFC02
- Keyboard Arm # KA6000
- Keyboard Tray # TR3000
- Two Phone Arms # TA002
- Gooseneck Task Light # TAL200A
- Two split bottom shelves
- Metal Film Box # FB-200
- Mobile Film Box # FB-100



EE. Single Tier Corner Cart™
72"W x 60"W x 24"D x 24"D:

- Top Shelf
- Corner work surface Shape III
- Two clamp-mount Monitor Arms # AFC02
- Keyboard Arm # KA6000
- Keyboard Tray # TR2000 with retractable Mouse Tray
- Bottom shelf



Top Workstation Options



FF. Single Tier Corner Cart™
72"W x 72"W x 24"D x 24"D:

- Custom work surface shape
- Keyboard Arm # KA6000
- Keyboard Tray # TR2000 with retractable Mouse Tray
- Retractable Pencil Drawer # PD002
- Split bottom shelf
- Glides # GLID-ADJ



GG. Single Tier Corner Cart™
72"W x 60"W x 30"D x 30"D:

- Corner work surface Shape I
- Clamp-mount Monitor Arm # AFCRAIL02
- Keyboard Arm # KA6000
- Keyboard Tray # TR3000
- Three adjustable CPU Holders
- Bottom shelf



HH. Single Tier Corner Cart™
96"W x 48"W x 30"D x 30"D:

- Half-moon work surface shape
- Articulating Arm for 5 monitors # AFCFLEXO_5
- Keyboard Arm # KA6000 with custom Keyboard Tray



II. Single Tier Corner Cart™
60"W x 84"W x 30"D x 30"D:

- Corner work surface Shape III
- Three clamp-mount Monitor Arms # AFC02
- Two Keyboard Arms # KA6000
- Wood Keyboard Tray # TR3000
- Keyboard Tray #TR2000 with retractable Mouse Tray
- Phone Arm # TA002
- Gooseneck Task Light # TAL200A
- Bottom shelf



Optimizing your mobile computing needs

Today's advancing technological world demands what we at AFC refer to as "Whenever ⇔ Wherever" access to data. The need has become ubiquitous, throughout all areas of healthcare facilities and professional functions — radiology reading rooms, control and command centers, conference rooms, and more.

AFC's array of durable mobile carts are designed to meet this growing need, while incorporating ergonomic features that make them adaptable to any user. Security features protect both sensitive information and computer equipment. Our carts are built for functionality, easy mobility, and durable enough for multi-users. They are available in footprints as small as 19" for easy maneuvering in tight places. Long-lasting batteries can be loaded so that carts can move from area to area without being connected to electrical outlets. Whatever your need, AFC can build a mobile cart solution for you.

Mobile Data Access

NEW!		Telescopic Cart™ 32
NEW!		PC Cart™ 36
NEW!		Laptop Cart 42
NEW!		Plasma Cart™ 44
		Upright Cart™ 46
		Pole Cart™ 47



Telescopic Cart™ 24\"/>

Telescopic Cart™

THE TELESCOPIC CART™ is designed to accommodate tight spaces; the work surface is electronically height-adjustable to enhance comfort and ease of use, whether the operator is seated or standing.

Mobile on stable locking casters, the strong, durable **Telescopic Cart™** can be stationed wherever needed and makes adding an extra workstation easy and affordable. Available in different width and depth combinations, the cart can accommodate up to two flat panel or CRT monitors.

All sizes are customizable with grommet-mount or clamp-style monitor arms, multiple laminate finishes and colors, keyboard arms and trays, and larger casters for two additional inches of height.

Electronic Adjustment:

- SURFACE HEIGHT
- SURFACE TILT (OPTIONAL)

Features and Benefits


- Cold-rolled 11-gauge steel frame with epoxy-powder-coated finish
- Particle-board-core top with your choice of high-pressure laminate finish
- Chemical-resistant phenolic top and bottom surfaces available
- Work surface is electronically height-adjustable with optional electronic tilt
- Multiple colors available (for standard colors, see page 103)
- Four four-inch casters (the front two are locking)
- Glides and additional accessories available (see page 92)

Specifications


- Width: 24", 30", 36"
- Depth: 24", 30", 36"
- Height of work surface from the floor: 30" to 46"

Telescopic Cart™ Sizes


24"W x 24"D	30"W x 24"D	36"W x 24"D
24"W x 30"D	30"W x 30"D	36"W x 30"D
24"W x 36"D	30"W x 36"D	36"W x 36"D
Accommodates one flat panel monitor (or one CRT monitor)	Accommodates up to two flat panel monitors (or one CRT monitor)	Accommodates up to two flat panel monitors (or two CRT monitors)



Standard Telescopic Cart™



Deluxe Telescopic Cart™



² Availability of shape depends on size of the cart



A. Telescopic Cart™ LTC4236-01 (42"W x 36"D):

- L-shape work surface
- Grommet-mount Z-arm # AFCZ588-02
- Swinglift Keyboard Arm # KA7001
- CPU Holder # CPU 13-25
- LED Task Light # TAL400



Telescope-in on the large variety of Telescopic Carts!

A. Telescopic Cart™ 36"W x 30"D with electronically tilting work surface!

1 Shown with custom base



Tilted position (electronic tilt from -5° to +10°)

B. Telescopic Cart™ 24"W x 24"D:


- Deluxe work surface shape
- Clamp-mount Z-arm # AFCZ500-02
- Keyboard Arm # KA6000
- Keyboard Tray # TR2000 with retractable Mouse Tray



Clamp-mount Z-arm for two monitors # AFCZ500-02

C. Telescopic Cart™ 24"W x 24"D:

- Standard work surface shape
- Chemical-resistant phenolic work surface and bottom shelf
- Grommet-mount twin Monitor Arm # AFCPOLE2MH-1



Grommet-mount Twin Monitor Arm # AFCPOLE2MH-1

D. Telescopic Cart™ 24"W x 24"D:

- Deluxe work surface shape
- Clamp-mount Monitor Arm # AFCFLEXOARM
- Keyboard Arm # KA6000
- Keyboard Tray # TR2000 with retractable Mouse Tray
- Two foldable extensions



Clamp-mount Monitor Arm # AFCFLEXOARM

E. Telescopic Cart™ 24"W x 24"D:

- Deluxe work surface shape
- Clamp-mount twin Monitor Arm # AFCPOLE2MH-1
- Retractable Keyboard Tray # KB01
- CPU Holder
- Wire Basket # WB-100
- Wire Manager # WMF100
- CPU Holder # CPU-99



Clamp-mount twin Monitor Arm # AFCPOLE2MH-1

F. Telescopic Cart™ 30"W x 24"D:

- Corner work surface shape
- Keyboard Arm # KA6000
- Keyboard Tray # TR2000 with retractable Mouse Tray



G. Telescopic Cart™ 30"W x 24"D:

- Corner work surface shape

H. Telescopic Cart™ 30"W x 30"D:

- Deluxe work surface shape
- Clamp-mount Monitor Arm # AFC02
- Keyboard Arm # KA6000
- Keyboard Tray # TR2000 with retractable Mouse Tray
- Wire Basket # WB-100
- CPU Holder # CPU13-25
- UPS Holder # UPS-01



Back view

J. Telescopic Cart™ 30"W x 24"D:

- Standard work surface shape
- Clamp-mount Monitor Arm # AFC02
- Retractable Keyboard Tray # KB01
- Two handles



Configure your own Telescopic Cart™ with our **INTERACTIVE BUILDER** at www.afcergonomic.com/telescopiccart



PC Cart™

INTRODUCING THE PC CART™ 910, AFC Industries new point-of-care cart that combines a streamlined look and enhanced functionality with the hallmark durability and ergonomic design of AFC's mobile work stations.

With an all-in-one computer, the height-adjustable **PC 910** offers a battery that can run for up to 30 hours before recharging. UL 60601-1 compliant, it is safe to use throughout facilities. Fleet management software allows for IT monitoring, management, and programming of carts for location, battery status, and scheduling of computer shutdown, recharging and maintenance.

A phenolic work surface with rounded corners enhances safety and appeal. Cutout handles on all corners facilitate grip, access from any user position, and range of motion. The retractable phenolic keyboard tray features ergonomic tilt, swivel, and a sliding mouse tray for both left- and right-handed users.

Features and Benefits

- Sit-to-stand height adjustment (pneumatic or electronic)
- Thorough disinfection for clean room use
- Supports all-in-one computer as well as separate thin client and monitor
- Mounting for all-in-one computer or standard monitor VESA (75/100)
- Rounded phenolic work surface for greater safety, comfort, and appeal
- Seamless integration of handles into the work surface on all four corners for easy grip from any user position
- Keyless electronic lock for utility drawer and divider to facilitate administration of care in two-patient rooms
- Phenolic retractable keyboard tray with ergonomic negative and positive tilt and swivel
- Mouse tray slides to accommodate left- and right-handed users
- 5" casters with round tread wheels for ease of movement

Power Supply

- UL 60601-1 compliant for safe use in all patient and non-patient areas
- Long life up to 30 hours using all-in-one CPU allows for multi-shift deployment
- Power alert software protects data and low-battery alarm can be muted
- IT Fleet management software for monitoring, programming, and management of PC 910s throughout a facility
- LED monitoring of battery status
- Advanced 3-stage charger accelerates recharging and increases safety
- Internal Automatic Transfer Switch allows power supply to run connected equipment while battery module is recharging

View A



LED display shows battery status

LED battery status display (View A)

Phenolic work surface

Utility drawer with electronic lock

Retractable keyboard tray and mouse tray

Wire manager

Battery recharge cable

Power supply unit (battery included)

Built-in wire management

Handle integrated in work surface

Lever for pneumatic height adjustment


Scanner holder

5" casters (two are locking)

Pneumatic Adjustment:

▪ SURFACE HEIGHT

Monitor arm (VESA 100/75)




Mounting for all-in-one computer or standard monitor (VESA 100/75)

Lever for pneumatic height adjustment

Utility drawer with keyless electronic lock and divider

Scanner holder

Power cord holder



PC Cart™ 500 with power supply

- LED battery status display (View A on page 37)
- Retractable keyboard tray and mouse tray
- Lockable CPU holder
- Pneumatically height-adjustable telescopic drive
- Power supply unit (battery included)

Pneumatic Adjustment:

▪ SURFACE HEIGHT


OUR PC CART™ 500 with power supply brings advanced computer technology to any location. The cart features a small footprint and large casters for easy movement. The PC Cart™ 500 is height-adjustable to enable computer use while the user is standing or seated. A retractable keyboard and mouse tray are included. The cart's all-metal body enables disinfection and clean-room use.

For maximum mobility, we offer a power supply unit with three main components:

Power Supply/Recharger (remains the same for any size battery) recharges the battery that it is connected to. The cart has three AC power outlets to which the user can plug in their monitor and CPU.

LED-Battery-Status Display shows amount of power in battery, alerting user to recharge battery by connecting to Power Supply/Recharger. The unit is generally attached to the monitor arm or in a visible location of the cart.

Battery available in three sizes, each determines run time (~4.3 hours, ~6.5 hours, and ~10 hours).



PC Cart™ 500

- Lever for pneumatic height adjustment
- Mouse holder
- Retractable keyboard tray and mouse tray
- Pneumatically height-adjustable telescopic drive
- Power supply shelf
- Four-inch casters (the front two are locking)

Features and Benefits

- Designed to hold desktop computers, and small instruments; ideal for use in any space-limited locations
- Built exclusively from cold-rolled steel with epoxy-powder-coated finish
- Pneumatic or electric height adjustment
- Flat-panel monitor mount VESA (100/75)
- Retractable keyboard tray and mouse tray
- Standard color: Textured Gray
- Multiple colors available (see page 103)
- Four rubber or plastic casters (the front two are locking)
- Additional accessories available (see page 92)

Specifications

- Rectangular base size: 20 1/2"W x 24"D
- Work surface size: 20"W x 20"D
- Keyboard tray size: 19"W x 8 1/2"D
- Height of work surface from the floor: ~30" to 42"

Optional

- Power supply unit with LED monitoring of battery status (see View A on page 37)
- CPU/UPS holder
- Wire manager # WMF200 (to manage cables going from the power supply unit to the LED display)



A. PC Cart™ 900

- Monitor Arms # AFC16
- Utility drawer with divider and keyless electronic lock
- Retractable keyboard tray with slide-out mouse tray
- Two handles
- Scanner holder # S01
- Mouse holder # M001



3" wheel

Optional Monitor Arms



Twin Monitor Arm # 2MH



Z-series Monitor Arm # AFCZ500-01



Z-series Monitor Arm # AFCPOLE

For high-traffic areas where the width and height of the base are crucial, AFC offers the PC Cart™ 900. Available with an optional scanner holder and mouse holder, the PC Cart™ 900 can easily adapt to all work situations. It's sleek, yet durable, quad-point base has a footprint of 18"W x 18"D and an overall height of less than 6". Special 3-inch wheels are used on the quad-point base. This multi-purpose, highly functional, cart is ideal for all business and service sectors.



B. PC Cart™ 500

- Twin Monitor Arm # 2MH
- Retractable keyboard tray with slide-out mouse tray
- CPU holder # CPU-09
- Mouse holder # M001



C. Custom PC Cart™ 500


- Z-series Monitor Arm
- Z-series Keyboard Arm with retractable mouse tray # ZKB-2
- Back shelf
- Custom CPU Holder



D. Custom PC Cart™ 500

- Grommet-mount Monitor Arm # AFCPOLE
- Locking drawer
- Remote user interface
- Retractable keyboard tray with slide-out mouse tray
- Wire basket # WB-100
- Mouse holder # M001





Dual PC Cart™ 500 with utility drawer

These are just a few of the many accessories that make the PC Cart™ the perfect mobile workstation (see **Keyboard, Mouse and other Workstation Accessories** on page 100).



E. Dual PC Cart™ 500 with battery, retractable keyboard tray, and CPU holder # CPU 13-25

Pneumatic Adjustment:

- LAPTOP PLATFORM HEIGHT
- SURFACE HEIGHT



Optional Work Surface Cover¹

¹ HIPAA-compliant




PC Cart™ Accessories

Electronic Adjustment:

- SURFACE HEIGHT



Deluxe PC Cart™ 500 with power supply



Deluxe PC Cart™ 500

Configure your own PC Cart™ with our **INTERACTIVE BUILDER** at www.afcergonomic.com/pccart



Standing position

F. Deluxe PC Cart™ 500 for one LCD monitor



Seated position

G. Deluxe PC Cart™ 500 for two LCD monitors

Laptop Carts

THE MULTI-FUNCTIONAL AND HIGHLY ADAPTABLE PC CART™ 700LP is AFC Industries' newest addition to its line of durable laptop carts.



The **PC Cart™ 700LP** offers a compact look, with a footprint of 19" and an overall height of less than 6" making this cart suitable for small work areas. It's specially designed star-shaped base with 3-inch wheels delivers smooth and fluid mobility. The **PC Cart™ 700LP** is the example of functional, durable, and ergonomic design synonymous with AFC Industries.



Laptop Cart # PC-700LP with laptop lock

Pneumatic Adjustment:

▪ SURFACE HEIGHT



Laptop cover lifts and locks with the pad lock

Features and Benefits

- Designed to hold laptops; ideal for use in any space-limited locations
- Built exclusively from cold-rolled steel with epoxy-powder-coated finish
- Pneumatic height adjustment
- Retractable keyboard tray with slide-out mouse tray
- Standard color: Textured Gray
- Multiple colors available (see page 103)
- 3" or 4" wheels (the front two are locking)
- Additional accessories available (see page 92)

Specifications


- Work surface size: 18"W x 16"D
- Height of work surface from the floor: ~30" to 42"
- Keyboard tray size: 16"W x 6"D
- Footprint: 19" star-shaped base 22"-26" diameter five-prong base

Optional

- Lockable laptop cover
- Locking metal drawer
- Pullout writing platform
- Retractable power cord
- Hook for cable


A. Laptop Cart # 700LP with laptop lock, drawer, and wire basket.

- Lockable laptop cover
- Locking metal drawer
- Retractable keyboard tray with slide-out mouse tray
- Mouse holder # M001
- Wire basket # WB-100
- Custom cubby 3"Wx3"Hx10"D
- Handle
- 22" star-shaped footprint



B. Laptop Cart # 700LP with utility drawer and writing platform

- Pullout writing platform
- Two pullout mouse trays
- Utility drawer with electronic lock
- Handle
- 22" star-shaped footprint



C. Laptop Cart # PC-S with stainless steel top

- Height of work surface ranges from the floor: 27" to 37"
- 24"Wx24"D stainless steel top
- Handle
- Five 4" twin casters (two are locking)



D. Laptop Cart # PC-LS with wood top

- Height of work surface ranges from the floor: 27" to 37"
- 24"Wx24"D wood top
- Storage space
- Five 3" casters (two are locking)



E. Tablet Cart # PC-L

- Adjustable locking mechanism to hold tablet in place
- Height of work surface ranges from the floor: 30" to 40"
- Both surface can tilt independently
- Stationary holder
- Five 4" twin casters (one front is locking)





Plasma Cart™ XLCD200-01

Plasma Cart™



AS COMPUTER TECHNOLOGY HAS BECOME an integral part of the workflow, the need for easy, convenient computer access has grown. The **Plasma Cart™** is a durable, sturdy, and adjustable mobile solution for data and video access. Applications include teaching and training, meetings and presentations, teleconferences, telemedicine, signage and more, spanning sectors including government, military and other mission critical, commerce, healthcare, education and beyond.

The **Plasma Cart™** allows you to strategically bring a large flat screen and related electronic equipment wherever they are needed. It accommodates flat screens with up to a 46" viewing area, with tilt from -5° to +15°. All components of the **Plasma Cart™** are height adjustable. Internal wire management is enclosed by easy-to-remove access panels.

The **Plasma Cart™** can be configured according to the user's specific needs and enhanced with multiple options, such as double-monitor holder, retractable keyboard and laptop tray, additional shelves, CPU holder, camera holder for teleconferencing, telemedicine, and filming applications.

Features and Benefits

- Fits flat screens up to 46"
- Monitor mount tilts from -5° to +15°
- Mobile and stable
- All components are individually height adjustable
- Built-in cable management with removable access panel
- Standard colors — Textured Gray and Black
- Multiple colors available (for standard colors, see page 103)
- Four-inch casters (the front two are locking)

Specifications

- Utility shelf: 18"W x 16"D
- Footprint: 30"W x 30"D
- Overall height from the floor: 62"



The Plasma Cart™ provides a mobile display wherever it is needed, perfect for both public spaces and meeting rooms.


Optional

- Double-monitor holder
- Retractable keyboard/laptop tray
- Additional shelves
- CPU holder
- Camera holder
- Surge suppressor
- Glides and additional accessories (see page 92)



A surge suppressor can be mounted out of sight, inside the cable management channel


Built-in cable management provides a neat and safe solution for wires, which are tucked away behind an easily removable access panel




Front view

Back view

Our **Mini Plasma Cart™** — perfect when space is limited. With a 24" base the **Mini Plasma Cart™** gives you all the impact of the XLCD Plasma Cart in a smaller footprint.



Mini Plasma Cart™ MLCD200-01



Foldable & retractable keyboard tray with slide-out mouse tray

Upright Cart™

THE UPRIGHT CART™ is a space-saving mobile workstation that accommodates a computer, monitor, keyboard and mouse, as well as a utility shelf that can hold a battery pack to provide flexibility and efficiency in moving among rooms and departments. The **Upright Cart™** is designed for comfort and efficiency, with a slim profile that allows for effortless height adjustment of the CPU, monitor and keyboard in 2-inch increments.


The VESA-compliant monitor holder can be adjusted to support both portrait and landscape views and tilted to avoid glare, while the keyboard/mouse tray is foldable and retractable for easy transport and a low profile.

Features and Benefits


- Aluminum track: 56" long
- All components are individually adjustable
- Safety stopper at both ends
- Spring-loaded locking mechanism for simple and easy height adjustment
- VESA-compliant monitor holder that can be adjusted from portrait to landscape views and tilted horizontally or vertically for optimum view
- Foldable and retractable keyboard arm and mouse tray
- Adjustable CPU holder (3 ½" - 8 ½"W, 13" - 25"H)
- Color: Textured Gray
- Multiple colors available (see page 103)
- Four-inch casters (two of them locking)
- Glides and additional accessories available (see page 92)

Optional

- Double monitor holder on single track
- UPS holder
- Mouse holder



Pole-mount Monitor Arm # AFC22 with tilt & pan movements



Steel pole with cutouts (two front and one rear) for wire management

Pole Cart™

THE COMPACT SIZE AND ADAPTABLE NATURE OF THE POLE CART™ make it highly useful in a variety of applications and perfect for tight, high-traffic areas. It easily moves a computer system from one location to another and supports up to two flat-panel monitors, a keyboard, and a CPU. The **Pole Cart™** can be adjusted from a seated to a standing position.

Features and Benefits

- Steel pole with built-in wire management (View B)
- Available with square metal base or five-prong metal base
- All individual components are height-adjustable and can be rotated 360 degrees around the pole
- Pole finish:
 - Mirror-finished, chrome-plated or
 - Multiple colors available (for standard colors, see page 103)
- Two-inch or four-inch casters (two of them locking)
- Additional accessories available (see page 92)

Specifications

- Pole: 2" outside diameter
- Footprint:
 - Square base — 21"W x 21"D
 - Five-prong base — 26" diameter
- Overall height from the floor: 60", 72"





A. Pole Cart™ # MPC200

- Mirror-finished, chrome-plated pole with built-in cutout for wire management
- Pole-mount camera shelf
- Pole-mount Monitor Arm # AFC22 with tilt & pan movements
- Pole-mount scanner Holder # S01
- Handle
- Pole-mount laptop platform
- Pole-mount CPU cradle
- Wire Manager
- Base-mount CPU cradle
- Additional base weight for increased stability
- 4" casters # CAS-P & # CAS-PB



The Pole Cart™ features optional accessories such as the laptop shelf, scanner holder and CPU holder



D. Pole Cart™ MPC200

- Black epoxy-powder-coated finish pole with built-in cutout for wire management
- Pole-mount Monitor Arm # AFC22
- Handle
- Keyboard Tray # TR2000 with retractable Mouse Tray
- Adjustable pole-mount CPU Holder # CPU13-25
- 4" casters # CAS-4 & # CAS-4B



E. Pole Cart™ # MPC200 with square base

- Black epoxy-powder-coated finish pole
- Pole-mount Z-arm # AFCZ200-01
- Keyboard Tray # TR2000 with retractable Mouse Tray
- Adjustable pole-mount CPU Holder # CPU13-25
- 4" casters # CAS-4P & # CAS-4PB



F. Pole Cart™ # MPC200 with square base

- Black epoxy-powder-coated finish pole
- Pole-mount Z-arm # AFCZ200-02
- Keyboard Tray # TR2000 with retractable Mouse Tray
- Adjustable pole-mount CPU Holder # CPU13-25
- 4" casters # CAS-4 & # CAS-4B

G. Pole Cart™ # MPC200 with floor-mounting square base

- Black epoxy-powder-coated finish pole
- Pole-mount Monitor Arm # AFC22
- Wall-mounting bracket
- Keyboard Tray # TR2000 with retractable Mouse Tray
- Adjustable pole-mount CPU Holder # CPU13-25
- Wire Basket # WB-100
- Floor-mounted square base



Every single item is height adjustable and can be rotated 360 degrees.

B. Pole Cart™ # MPC200

- Mirror-finished, chrome-plated pole with built-in cutout for wire management
- Pole-mount Twin Monitor Arm # AFCPOLE2MH-1
- Utility shelf
- Keyboard Tray # TR2000 with retractable Mouse Tray
- Data/electrical storage enclosure # WM202
- Adjustable pole-mount CPU Holder # CPU13-25
- Additional base weight for increased stability
- 4" casters # CAS-P & # CAS-PB



Pole-mount Twin Monitor Arm # AFCPOLE2MH-1

C. Pole Cart™ # MPC200

- Black epoxy-powder-coated finish pole with built-in cutout for wire management
- Pole-mount Monitor Arm # AFC22
- Utility shelf
- Keyboard Tray # TR2000 with retractable Mouse Tray
- Two pole-mount CPU Enclosures # CPU-09
- Additional base weight for increased stability
- 4" casters # CAS-P & # CAS-PB



CPU Enclosures have openings for ventilation

H. Pole Cart™ # SPC

- Black epoxy-powder-coated finish pole with built-in cutout for wire management
- Pole-mount Monitor Arm # AFC22
- Two utility shelves
- Pole-mount Scanner Holder # S01
- Keyboard Tray # TR2000 with retractable Mouse Tray
- Two Wire Baskets # WB-100
- Pole-mount CPU Holder # CPU-101
- Printer shelf
- Floor-mounted round base





Secure your facility with AFC's flexible Control Consoles

We live in a world of rising security needs. Your facilities are not immune. Security has become an essential operational concern.

Our line of adjustable security consoles enable many areas of a facility to be simultaneously monitored by a single or multiple operators and can be easily relocated as needed. We produce a wide array of mounting solutions that meet the extensive needs for video and CCTV surveillance of outer and inner areas, whether on single or multiple monitors. AFC's modular racking systems facilitate efficient storage of valuable electronic and audio-visual equipment.

Command & Control Consoles

NEW!



Control Pod Consoles 52

NEW!



Dispatch Consoles 56



Control Pod Console 84"W x 51"D with a fixed height and two three-drawer pedestals

CONTROL POD CONSOLES are offered with optional electronic height adjustment of the work surface for multiple users in a 24 x 7 environment, and for sit-to-stand working positions that help maintain alertness and concentration. Independent electronic monitor adjustment is also available for both monitor height and focal length to ease eye strain and optimize performance of security personnel. Horizontal adjustment of monitors along tracks and vertical micro-adjustment eliminates gaps between monitors. Extensions on the outer monitor arms allow for a more comfortable viewing arc.

We can customize **Control Pod Consoles** to perfectly fit your space, equipment, and other specifications.

Electronic Adjustment:

- SURFACE HEIGHT
- MONITOR HEIGHT

Optional

- Electronic height adjustment of work surface and monitor platform
- Retractable work surface to adjust the distance from the monitors
- Lockable 3-drawer pedestals
- Mesh doors for front and rear CPU access
- Footrest

Maintaining the temperature inside enclosures is critical to the proper functioning and survival of the equipment operating within. Our enclosures have mesh doors and extra quiet fans for maximum ventilation.


Control Consoles

Large business centers. Hospitals. Control centers... Other critical facilities to secure and so many areas to monitor.

Our **Control Consoles** are perfect for applications that require viewing multiple monitors simultaneously. Cover all critical areas of your facility at one integrated console or at several consoles, using monitors of different sizes and configurations, according to your needs.

Features and Benefits

- Monitor platform accommodates monitors of different shapes and sizes, in any arrangement, without gaps
- First and last columns of monitor arms have longer reach to provide optimal parabolic viewing shape
- Built-in extra-quiet fans for CPU ventilation
- Cold-rolled 11-gauge steel frame with epoxy-powder-coated finish
- Particle-board-core top with your choice of high-pressure laminate finish, edged with bumper molding or T-molding
- Multiple colors available (see page 103)
- Glides or 4" casters



Monitor Platform with built-in wire management



Horizontal adjustment of monitors along tracks and vertical micro-adjustment eliminates gaps between monitors




A. Control Pod Console 84"W x 51"D

- Standard work surface shape
- Monitor platform on telescopic drives
- Pencil Drawer # PD002
- Metal Cup Holder with clamp # MCH-100
- Glides # GLID-ADJ



B. Control Pod Console 84"W x 51"D

- Retractable work surface to adjust the distance from the monitors
- Monitor platform on telescopic drives
- Two Keyboard Trays # TR2000 with retractable Mouse Trays
- 4" casters # CAS-P & # CAS-PB



Sliding and removable door panels allow easy access for wire management and servicing

AFC's fans feature a smooth, ball bearing design for extra-quiet operation





Two-section B-Line Console™ with six 3U rack mounts and an additional Z-arm in the middle



C. B-Line Console™
50"W x 30"D x 38"H:

- Adjustable monitor arm on a track for three LCD monitors
- Two 3U Rack Mounts
- Storage space for computer equipment



D. Custom B-Line Console™
48"W x 36"D x 36.5"H:

- Grommet-mount Z-arm for two LCD monitors # AFCZ500-02
- Two 3U Rack Mounts
- Storage space for computer equipment
- Removable back panels with mesh

NEW

THE B-LINE CONSOLES™ are designed to allow you to line them side by side in front of a central set of screens. Each section of the console has two or three rack mounts to house equipment, as well as cabinet enclosures for the CPUs.

Each screen is mounted on an adjustable monitor arm that glides on a track for horizontal adjustment, as well as allowing effortless vertical adjustment. This way, you can either bring the monitors close to the work surface or raise them up out of the way of the controls.

The B-Line Console™ can also be fitted with an additional Z-arm monitor holder, adding an extra screen for each operator.



Each vertically-adjustable monitor arm rides on a track for independent horizontal motion.



Grommet-mount Z-arm for two monitors.

Removable back panels with mesh



OPEN CONTROL CONSOLES come in two configurations: the monitor height can be adjusted independently of the work surface (images E and F), or can move together with the surface (image G). The consoles come in multiple surface shapes and colors, and feature an optional retractable work surface for adjusting distance to the monitors.



E. Open Control Console
84"W x 51"D:

- Custom work surface shape
- Monitor platform on telescopic drives for 12 LCD monitors
- 4" casters # CAS-4 & # CAS-4B



F. Open Control Console
84"W x 36"D:

- Standard work surface shape
- Monitor platform on telescopic drives for 8 LCD monitors
- 4" casters # CAS-4 & # CAS-4B



G. Open Control Console
60"W x 36"D:

- Bean-shape work surface
- Manually height-adjustable monitor rail system for different size monitors¹
- Bottom shelf
- 4" casters # CAS-4 & # CAS-4B

¹ Monitor holder bracket might vary based on size/weight/model



Our Open Control Console is available with manual adjustment of monitors. It allows you to base the positioning on monitor size and required viewing angle. Maximum height and width can be customized.



H. Open Control Console 84"W x 38"D:

- Soft Ergonomic work surface shape
- Z-series Monitor Arms for 6 LCD monitors# AFC2RAILZ03
- 4" casters # CAS-4 & # CAS-4B



Ergo Tier Console™

Dispatch Consoles

OUR DISPATCH CONSOLES are ergonomic, self-contained workspaces that increase both productivity and comfort. Sound-absorbing partitions help eliminate distractions, while electronic height controls let you effortlessly adjust the console to any operator, whether sitting or standing.

The Ergo Tier Console™ also adds independent electronic adjustment of monitor height and focal length without taking away any of the console's ample desk space.



Keypad with LED display and four memory presets

Electronic Adjustment:

- SURFACE HEIGHT
- MONITOR HEIGHT
- FOCAL LENGTH

Features and Benefits

- Electronic height adjustment of work surface
- Monitor arms with horizontal, vertical, and tilt adjustment
- Light and sound barrier partitions
- Complete wall-to-wall installation services
- Cold-rolled 11-gauge steel frame with epoxy-powder-coated finish
- Particle-board core top with your choice of high-pressure laminate finish edged with bumper molding

Optional

- Electronic adjustment of monitor height and focal length
- Advanced warm/cool air environmental control system regulated at the workstation
- Pop-up data ports and a built-in USB hub embedded in the work surface
- Partitions with removable lower metal panel for back CPU access and continuous cable management
- Mobile CPU enclosure

The Dispatch Consoles shown on this page have Z-series monitor arms that allow manual adjustment of each monitor's focal length.

The Dual Tier Console™ has two independently adjustable surfaces. With the simple touch of a button you can adjust the height of the monitors and work surface from a seated to a standing position, including the bifocal setting (where the monitors are lower than the work surface).



Dual Tier Console™



Single Tier Console™
(corner work surface shape)



Single Tier Console™
(standard with cutout work surface shape)

In the Single Tier Consoles™ there is one work surface that is electronically adjusted as a unit, while the monitors are adjusted manually. Light and sound barrier partitions have fiber top and removable lower metal panel. Built-in continuous cable management keeps wires neat and unobtrusive. Mobile CPU enclosures allow for both front and back CPU access.



Front view



Back view

CPU enclosure with mobile platform allows for both front and back CPU access



Carts & Racking Systems enhance and organize your workspace

AFC understands the need to implement ergonomics in all work environments, which is why our carts and racking systems are designed and manufactured to fit the end users. On-staff engineers can customize carts and racking systems to meet your specific requirements. "Studies have shown that ergonomic improvements result in productivity increases, dramatic increases in worker satisfaction, and a significant decrease in workplace injuries." (www.HealthyComputing.com)

Carts & Racking Systems



SmartRack™ 60



IntelliCart™ 62



SmartCart™ 64



OmniBus™ 70



Corner SmartRack™ 160"W x 84"W x 86"H

SmartRack™

THE SMARTRACK™ is a modular space-saving solution that accommodates a variety of technical equipment. Highly versatile, it comes in multiple configurations for mounting LCDs, CRTs, CPUs, and all standard 19-inch rack-mount equipment.



Features and Benefits


- Cold-rolled 11-gauge steel frame with epoxy-powder-coated finish
- Particle-board-core top with your choice of high-pressure laminate finish
- Customized Ergonomic and Standard work surfaces available edged with T-molding/bumper molding
- Work surface and shelves are height-adjustable in one-inch increments
- Customized metal or wood shelves, fully adjustable and tiltable
- Multiple colors available (for standard colors, see page 103)
- Built-in wire-management conduits
- Two-inch casters (the front are locking)
- Glides and additional accessories available (see page 92)

Specifications

- Width of frame: 24", 30", 36"
- Depth: 24", 30", 36"
- Height of frame: 36", 48", 60", 73", 83"



SmartRack™ Basic Components



A. SmartRack™ 30"W x 30"D x 76"H:

- 30" wide frame
- Metal top shelf
- Rack-mount brackets 7"H x 4"D
- Adjustable Phone Arm # TA001
- Standard work surface shape
- Keyboard Arm # KA6000
- Keyboard Tray # TR2000 with retractable Mouse Tray
- Rolling shelf
- 2" twin casters # CAS-2T and # CAS-2TB




B. SmartRack™ 36"W x 30"D x 86"H:

- 36" wide frame
- Metal tilt shelf
- Two wooden shelves
- Keyboard Arm # KA6000
- Keyboard Tray # TR2000
- Standard work surface shape
- Swinglift Keyboard Arm # KA7001
- Keyboard Wrist Rest # WR006
- Wall Mount # WM-RK-1M
- Rolling shelf
- 2" twin casters # CAS-2T and # CAS-2TB



IntelliCart™ 36"W x 30"D x 39"H
(shown with optional swinglift keyboard arm)



Optional Swinglift Keyboard Arm



Swinglift keyboard arm in seated position with tilt



Swinglift keyboard arm in standing position



Swinglift keyboard arm in standing position with tilt

Tilt from -15° to +10°

IntelliCart™

FEATURING CUTTING-EDGE DESIGN AND FLEXIBILITY, THE INTELLICART™ gives you the versatility and mobility you have been looking for. Its soothing, fluid lines bring a relaxing touch to busy work environments.

With an elegant yet simple design, it is a strong and comfortable workstation that will last a lifetime.

Work Surface Shape



Features and Benefits

- Cold-rolled 11-gauge steel frame with epoxy-powder-coated finish
- Particle-board-core top with your choice of high-pressure laminate finish
- 12" deep top shelf and 16" deep bottom shelf
- Work surface and shelves edged with bumper molding
- Work surface is height-adjustable in one-inch increments
- Customized ergonomic work surfaces available
- Multiple colors available (for standard colors, see page 103)
- Two-inch or four-inch casters (two of them locking)
- Glides and additional accessories available (see page 92)

Specifications

- Width: 36", 48", 60", 72"
- Depth: 30", 36"
- Height from the floor:
Work surface: 30"
Top shelf: 36"

A. IntelliCart™ 36"W x 30"D x 36"H:

- Top shelf
- Two clamp-mount Monitor Arms # AFC02
- Keyboard Arm # KA6000
- Keyboard Tray # TR2000 with retractable Mouse Tray
- Flushed bottom shelf
- 4" casters # CAS-4 and # CAS-4B



C. IntelliCart™ 48"W x 30"D x 72"H:

- Flipper cabinet # FC
- Middle shelf
- Swinglift Keyboard Arm # KA7001
- Handle
- Flushed bottom shelf
- 2" twin casters # CAS-2T and # CAS-2TB



E. IntelliCart™ 72"W x 36"D x 36"H:

- Top shelf
- Pencil Drawer # PD002
- Adjustable CPU holder
- Flushed bottom shelf
- 2" twin casters # CAS-2T and # CAS-2TB



B. IntelliCart™ 48"W x 30"D x 36"H:

- Top shelf
- Two clamp-mount Monitor Arms # AFC02
- Keyboard Arm # KA6000
- Keyboard Tray # TR2000 with retractable Mouse Tray
- Flushed bottom shelf
- 2" Casters # CAS-4 and # CAS-4B



D. IntelliCart™ 48"W x 30"D x 72"H:


- Flipper cabinet # FC
- Middle shelf
- Swinglift Keyboard Arm # KA7001
- CPU Holder # CPU-05
- Flushed bottom shelf
- 2" twin casters # CAS-2T and # CAS-2TB



F. IntelliCart™ 72"W x 36"D x 36"H:

- Top shelf
- Three clamp-mount Monitor Arms # AFC02
- Keyboard Arm # KA6000
- Keyboard Tray # TR2000 with retractable Mouse Tray
- Flushed bottom shelf
- 2" twin casters # CAS-2T and # CAS-2TB





SmartCart™

THE VERSATILITY OFFERED BY AFC'S SMARTCART™

makes it a wonderful addition to any work environment. With virtually limitless configurations and customization, this cart fits your needs perfectly. All SmartCarts™ are exclusively built from reinforced steel with pressurized scratch-resistant laminate surfaces, making them extremely strong and durable.

Choose from any combination of features and let us create the SmartCart™ that is right for you. No matter what your workplace requirements, you will find that our ergonomically designed SmartCarts™ enhance productivity and give you a lifetime of dependable and enjoyable service.

Features and Benefits

- Cold-rolled 11-gauge steel frame with epoxy-powder-coated finish
- Particle-board-core top with your choice of high-pressure laminate finish
- Customized ergonomic and standard work surfaces available edged with T-molding/bumper molding
- Work surface and shelves are height-adjustable in one-inch increments
- 16" deep split bottom shelf on either one or both sides provides leg space; full-length bottom shelf accommodates CPU or other computer-related equipment
- Multiple colors available (for standard colors, see page 103)
- Two-inch or four-inch casters (two of them locking)
- Glides and additional accessories available (see page 92)

Specifications

- Width: 18", 24", 30", 36", 48", 60", 72", 84", 96"
- Depth: 18", 24", 30", 36"
- Height of work surface from the floor:
 - seated position: 30" – 36"
 - standing position: 42"



Work Surface Shapes

- Standard**
for all widths
- Standard w/ cutout**
for tables 48" wide and up
- Soft Ergonomic**
for all widths
- Light Ergonomic**
for tables 60" wide and up
- Deep Ergonomic**
for tables 48" wide and up
- Bean-shaped**
for tables 48" wide and up
- Ergonomic Hexagon**
for tables 60" wide and up
- Wave**
for tables 48" wide and up

A. SmartCart™ 18"W x 20"D x 42"H:

- Standard work surface shape
- Clamp-mount Monitor Arm # AFC02
- Keyboard Arm # KA6000
- Keyboard Tray # TR2000 with retractable Mouse Tray
- Storage cabinet
- 4" casters # CAS-4 and # CAS-4B



B. SmartCart™ 24"W x 18"D x 44"H:

- Standard work surface shape
- Clamp-mount Monitor Arm # AFC02
- Keyboard Arm # KA6000
- Keyboard Tray # TR2000 with retractable Mouse Tray
- Middle shelf
- Metal Film Box # FB-200
- Flushed bottom shelf
- 2" twin casters # CAS-2T and # CAS-2TB



C. SmartCart™ 24"W x 24"D x 30"H:

- Standard work surface shape
- Retractable Keyboard Tray # KB01
- Side mount CPU Holder
- Glides # GLID-ADJ



D. SmartCart™ 24"W x 24"D x 42"H:

- Standard work surface shape
- Clamp-mount Monitor Arm # AFC02
- Retractable Keyboard Tray # KB01
- Drawer
- Flushed bottom shelf
- 4" casters # CAS-4 and # CAS-4B





Available in a variety of configurations, this cart can do any job. Its mobility enables it to go right to the action or, when necessary, stay out of the way.

- ◀ **E. SmartCart™ 30"W x 30"D x 54"H:**
- Top shelf
 - Standard work surface shape
 - Clamp-mount Z-arm # AFCZ500-02
 - Two-door cabinet
 - 2" twin casters # CAS-2T and # CAS-2TB



- ◀ **F SmartCart™ 48"W x 30"D x 54"H:**
- Top shelf
 - Standard work surface shape
 - Clamp-mount Z-arm # AFCZ500-02
 - CPU Holder # CPU 13-25
 - One-door cabinet
 - Two-door cabinet
 - 2" twin casters # CAS-2T and # CAS-2TB



- ◀ **G. SmartCart™ 60"W x 30"D x 54"H:**
- Top shelf
 - Standard work surface shape
 - Clamp-mount Z-arm # AFCZ500-02
 - Pedestal with 2 drawers # P2FF15MF
 - CPU Enclosure
 - 2" twin casters # CAS-2T and # CAS-2TB




The slatwall is a great way for a multitude of accessories that can easily be maneuvered to create an unlimited number of combinations.

- ◀ **H. SmartCart™ 48"W x 36"D x 42"H:**
- Standard work surface shape
 - Z-arm # AFCZ500-02
 - Two Phone Arms # TA002
 - Pencil Drawer # PD002
 - Two adjustable CPU Holders # CPU13-25
 - Slatwall
 - Glides # GLID-ADJ

- ◀ **I. SmartCart™ 84"W x 34"D x 30"H:**
- Custom work surface shape
 - Clamp-mount Z-arm # AFCZ500-02
 - Keyboard Arm # KA6000 with wooden keyboard tray
 - Two split bottom shelves
 - Glides # GLID-ADJ

- ◀ **J. SmartCart™ 84"W x 36"D x 30"H:**
- Ergonomic Hexagon with Cutout work surface shape
 - Swinglift Keyboard Arm # KA7001
 - Clamp-mount Z-arm # AFCZ500-02
 - Bottom shelf
 - Glides # GLID-ADJ

- ◀ **K. SmartCart™ 60"W x 24"D x 76"H:**
- Flipper cabinet with two doors # FC
 - Standard work surface shape
 - Grommet-mount Monitor Arm # AFC01
 - Task Light # TAL200A
 - Phone Arm # TA002
 - Keyboard Arm # KA6000
 - Keyboard Tray # TR2000 with retractable Mouse Tray
 - Film Box # FB-100-1 and storage cabinet on bottom shelf
 - Mobile CPU Cradle # CPU-02
 - 2" twin casters # CAS-2T and # CAS-2TB



- ◀ **L. SmartCart™ 36"W x 30"D x 30"H:**
- Standard work surface shape
 - Telescopic Monitor Arm
 - Flushed bottom shelf
 - 2" Twin Casters # CAS-2T and # CAS-2TB




The Telescopic Arm allows the user:

- to stow the monitor below the work surface when not in use
- to rotate screen 180° for training purposes

A variety of "L" and corner configurations are available. Select the shape and size best suited to your application, or call us for a customized solution.

"L" and Corner Work Surface Configurations



- M. SmartCart™ 32"W x 32"W x 38"H:**
- Top shelf
 - Corner work surface shape
 - Keyboard Arm # KA6000
 - Keyboard Tray # TR2000 with retractable Mouse Tray
 - Flushed bottom shelf
 - 2" twin casters # CAS-2T and # CAS-2TB



- N. SmartCart™ 40"W x 40"W x 38"H:**
- Top shelf
 - Corner work surface shape
 - 2" twin casters # CAS-2T and # CAS-2TB




- O. SmartCart™ 48"W x 48"W x 42"H:**
- Custom work surface shape
 - Retractable Keyboard Tray # KB01
 - 2" twin casters # CAS-2T and # CAS-2TB

- P. SmartCart™ 60"W x 39"W x 30"H:**
- Corner work surface shape
 - Keyboard Arm # KA6000
 - Keyboard Tray # TR2000 with retractable Mouse Tray
 - Split bottom shelf
 - 2" twin casters # CAS-2T and # CAS-2TB



- Q. SmartCart™ 84"W x 72"W x 72"H:**
- File top shelf
 - "L" shape work surface
 - Flushed bottom shelf
 - Glides # GLID-ADJ

- R. SmartCart™ 96"W x 72"W x 76"H:**
- Flipper cabinet # FC
 - Middle shelf
 - Custom work surface shape
 - Back modesty panel
 - 2" twin casters # CAS-2T and # CAS-2TB





A. OmniBus™
36"W x 30"D x 42"H: ▶

- Standard work surface shape
- Clamp-mount Monitor Arm # AFC02
- Keyboard Arm # KA6000 with custom Keyboard Tray
- Middle shelf
- Side shelf
- Unflushed bottom shelf
- Flushed bottom shelf
- 4" Casters # CAS-4 and # CAS-4B



B. OmniBus™
48"W x 36"D x 48"H: ▶

- Top shelf
- Standard work surface shape
- Two clamp-mount Monitor Arms # AFC02
- Keyboard Arm # KA6000
- Keyboard Tray # TR2000 with retractable Mouse Tray
- Side shelf
- Unflushed bottom shelf
- Flushed bottom shelf
- 2" twin casters # CAS-2T and # CAS-2TB



C. OmniBus™
48"W x 36"D x 48"H: ▶

- Top shelf
- Standard work surface shape
- Clamp-mount Z-arm # AFCZ500-02
- Side Shelf
- Common flushed bottom shelf
- 4" casters # CAS-4 and # CAS-4B



D. OmniBus™
48"W x 30"D x 54"H: ▶

- Top shelf
- Standard work surface shape
- Side shelf
- Unflushed bottom shelf
- Flushed bottom shelf
- Casters # CAS-P and # CAS-PB



E. Custom OmniBus™
48"W x 14"D x 48"H:

- Standard work surface shape
- Keyboard Arm # KA6000
- Keyboard Tray # TR2000 with retractable Mouse Tray
- Two side shelves
- Common flushed bottom shelf
- Glides # GLID-ADJ

OmniBus™

THE VERSATILE OMNIBUS™ provides maximum equipment support with a flexible profile that allows you to combine carts of different widths and heights.

Call us with your specific needs and we will customize an **OmniBus™** suited to your requirements.

Features and Benefits

- Cold rolled 11-gauge steel frame with epoxy-powder coated finish
- Particle-board-core top with your choice of high pressure laminate finish
- Customized ergonomic and standard work surfaces available edged with T-molding/bumper molding
- Work surface and shelves are height adjustable in one-inch increments
- Multiple colors available (for standard colors, see page 103)
- 2" or 4" casters (two of them locking)
- Glides and additional accessories available (see page 92)

Specifications

- Width: each side can be either 18", 24", 30", or 36" wide

Any combination of these 4 widths is possible, so the total widths for the OmniBus™ are:

- 36", 42", 48", 54", 60", 72"
- Depth: 18", 24", 30", 36"
- Height: up to 72" from the floor



F. OmniBus™
60"W x 30"D x 48"H: ▲

- Top shelf
- Standard work surface shape
- Unflushed bottom shelf
- Flushed bottom shelf
- Side and back modesty panels
- 2" twin casters # CAS-2T and # CAS-2TB



Mounting solutions make the most of limited-space and decentralize data access

High traffic areas. Tight places. AFC Industries offers a variety of mounting solutions. Height-adjustable versions for seated or standing positions. Adaptable to any user. Making empty wall space productive.

Available in reach wood laminates, creating a warm and welcoming environment, as well as technical models traditionally associated with healthcare institutions. Decentralizing the availability of data for a greater return on investment in plant and human capital.

Mounting Solutions



i-Center™ 74



Wall Mounts..... 76



Video Wall 80



NEW!

Floor Post 81



Lockable i-Center™ 40"W x 6"D x 25 1/2"H with space for CPU and power strip

i-Center™

THE INNOVATIVE, SPACE-SAVING i-CENTER™ is an attractive wall-mounted workstation that enables computer access wherever needed, without utilizing floor space. The i-Center™ includes a fold-down keyboard tray with a damper for smooth operation and a VESA-compliant monitor holder. It accommodates any standard computer and turns empty wall space into a handy work area.

The i-Center™ features a laminated front and side wall that can be specified to match room décor, and mounts easily with grommet holes to allow cabling. It has a removable front panel with security screws to prevent theft. The i-Center™ was designed to make the most of limited space in today's busy environments.

Features and Benefits

- Removable front panel with security screws and lock for keyboard shelf prevent theft
- Fold-down keyboard tray with damper for smooth operation
- VESA-compliant monitor holder
- Grommet holes for cabling
- Laminated front and side wall can coordinate with room décor
- Multiple colors available (for standard colors, see page 103)
- Optional accessories include: CPU, mouse holder, scanner holder, and cable management
- Custom sizes available

Specifications

- Width: 21 1/8"±40"
- Height: 25 1/2"±50"
- Depth: 6"±9"
- Keyboard shelf depth: 8"

More Options for CPU



i-Center™ with CPU holder # CPU-903-18-5-18




i-Center™ with CPU holder # CPU-08




i-Center™ with matching CPU enclosure

- A. i-Center™ 27"W x 6"D x 25 1/2"H with holder for thin client PC and retractable mouse tray




- B. Lockable i-Center™ 27"W x 6"D x 35"H with wall-mount CPU enclosure for small-form-factor PC and scanner holder



- C. i-Center™ 25 1/2"W x 6"D x 46 1/2"H with top flip-open-door CPU compartment and retractable mouse tray



- D. i-Center™ 21 1/2"W x 6"D x 49"H with two-door CPU compartment, mouse holder, and retractable mouse tray



The Z-arm allows you to position your monitor at any viewing level, angle, and depth from the viewer.



- E. i-Center™ 34"W x 9"D x 50"H with top flip-open-door CPU compartment and Z-arm Combo



Wall Mount Combo # AFC7808_12 with CPU holder # CPU101


Wall Mounts

INTRODUCING WALL MOUNT COMBO AFC7808_12, a height-adjustable, low-profile, user-friendly solution for access to electronic records where space is at a premium. The Combo accommodates most operators, in sit-to-stand positions. When not in use, it folds up tight to the wall, tucked away and unobtrusive.


The flexible **Combo AFC7808_12** is designed with the ergonomic intelligence, strength, durability, and thorough disinfection properties of other AFC products, while offering an easy-to-operate tool for boosting productivity any high-traffic areas. It is pneumatically height-adjustable within a 12" range, and can be locked in any position you chose. Full range of swivel motion at each joint comfortably accommodates different positions and applications, such as sharing information with patients and other professionals in proximity.

Features and Benefits


- Light-weight aluminum construction for easy operation
- Thorough disinfection for safe use throughout medical facilities
- Entire mount is powdered coated in anti-microbial paint (for gray color only)
- Nearly three feet when fully extended with option of supplemental one foot extension arm
- 12" range of height adjustment for accommodation of most users
- Height locking mechanism at any position for safety, stability, and varying loads
- Sit-to stand work positions
- Full range of swivel motion at each joint
- Keyboard folds for low profile and has a safety lock
- Mouse tray and scanner holder can be attached to the left or right side of the keyboard (optional)
- Optional holder to keep extra cabling
- VESA 75/100 compliant monitor bracket with horizontal and vertical tilt and 3" range of height adjustment
- Wire management build into the wall mount
- Can be mounted directly on a wall or desk (see images on the right)



Wall Mount Combo # AFC7808_12



When not in use, it folds up tight to the wall, tucked away and unobtrusive



Wall Mount # WM-RKMC

Features and Benefits


- All components are individually adjustable in increments of 2"
- Safety stopper at both ends
- Spring-loaded locking mechanism for simple and easy height adjustment
- VESA-compliant monitor holder that can be adjusted from portrait to landscape view and tilted to avoid glare
- Foldable and retractable keyboard arm and mouse tray
- Adjustable CPU holder (3 1/2" - 8 1/2"W, 13" - 25"H)
- Multiple colors available (for standard colors, see page 103)
- Additional accessories available (see page 92)

Optional

- Horizontal or vertical positioning
- Double monitor holder on single track (see sidebar "Optional Monitor Arms for Wall Mount" on page 78)
- Horizontal track for multiple monitors (see sidebar "More Wall Mount Solutions..." on page 78)
- UPS Holder
- Mouse Holder

Electronic Adjustment:

UNIT HEIGHT




A. Wall Mount with electronic height adjustment # WM202-01


- 19" of electronic height adjustment
- Components are individually adjustable
- Monitor Arm # AFC22
- Foldable keyboard tray with retractable mouse tray
- Adjustable CPU holder # CPU101

Pneumatic Adjustment:

UNIT HEIGHT



B. Wall Mount with pneumatic height adjustment # WM-RKMC-P-04



NEW

C. Wall Mount with monitor arm # AFC7808M, keyboard arm # AFC7808K, and CPU holder # CPU-101

D. Wall Mount # WM36-M1-FK-C1'

1 OSHPD rated

More Wall Mount Solutions...

NEW

Wall Mount pole # WMPC_72_F_KB_2C_01

NEW

Pneumatically height-adjustable arm


Mouse tray

Pneumatic Adjustment:

MONITOR/KEYBOARD HEIGHT

H. Wall Mount Combo # AFC7808_01_WM-01

I. Wall Mount Combo # WM-C-AFC78-01



Configure your own Wall Mount with our **INTERACTIVE BUILDER** at www.afcergonomic.com/wallmount

E. Wall Mount # WM-RKMC



NEW!

Wall Mount for multiple monitors on horizontal track # WM110_3PLE18_3F

J. Wall Mount Combo # WM36-C101-AFC78-01

K. Wall Mount Combo with CPU holder # CPU-903-18-5-18, scanner holder, and foldable shelf



Optional Monitor Arms for Wall Mounts

Twin monitor arm # 2MH

Z-series monitor arm for one monitor

Z-series monitor arm for two monitors

F. Wall Mount # WM-RK2ZMC-U

UPS platform

G. Custom Wall Mount with Z-series scanner tray, Z-series keyboard tray, and printer shelf

NEW

Safety stopper at each end of track

Laptop tray 16"Wx12"D with handle

2" Grommet hole

Laptop Wall Mount # AFCZ566-01-LWM-01

CPU holder

21" extension

Wire basket

L. Custom Wall Mount Combo with CPU holder # CPU-903-18-5-18 and foldable shelf


M. Wall Mount Combo # WM-C-AFC78-21-01 with CPU holder and wire basket



N. Custom Wall Mount



Three-row Video Wall for 15 monitors



Video Wall


THE VIDEO WALL consists of one or more tracks for sliding the monitor arms from left to right, where every single arm allows tilting up-down and left-right, as well as micro-adjustment to eliminate gaps between monitors. Z-arms give each monitor an ample range of motion, allowing you to position them in several different viewing arrangements.

Features and Benefits



- Aluminum track with mounting holes and safety stopper at both ends allows monitor holders to slide
- Horizontal or vertical mounting of tracks
- Z-arm monitor holders with extension, tilt, and pan motion; arms have varying length to provide parabolic shape for optimum viewing
- VESA-compliant monitor holder that can be adjusted from portrait to landscape views and tilted to avoid glare
- Combination setup allows horizontal and vertical adjustment of the monitors
- Monitor travels from 4" to 20" from the wall
- Multiple colors available (for standard colors, see page 103)

Optional

- Monitor holders # AFC16, # AFC18, # AFC22 (tilt and pan only)
- Non VESA-compliant monitor holders available for larger flat screens



The outer monitor arms are longer than at the center, which lets you create a comfortable viewing arc. When laid out straight, the monitors can get as close as 4" to the wall.



The Video Wall's freedom of motion allows you to combine monitors of different shapes and sizes, in any arrangement, without gaps.



Floor Post
FM50_1F_1AFC7808K
1C_1WB_00-01



Floor Post # FP04



Floor Post # FP06



Based on your specifications, you can create unlimited configurations suitable for any task

Floor Post

AFC'S NEW FLOOR POST SERIES™ creates a more effective, comfortable, and productive work environment. Based on your specifications, you can have unlimited configurations for any task. Its space saving design also allows multi-side (front/back/side) user capability.

The **Floor Post Series™** can be mounted to various floor surfaces. Monitor, keyboard arms, CPU holders, shelves and other accessories can be made height adjustable on a secure track making the **Floor Post Series™** suitable for multi-users.

Features and Benefits

- All components are individually adjustable
- Spring-loaded locking mechanism for simple and easy height adjustment (depending on item)
- Built-in wire management
- Monitor holders of your choice: AFC10E/F/G, AFC16, AFC18, AFC22, AFCZ500, AFC7808M_01_WM-01 (see page 98)
- CPU holders of your choice: CPU-101, CPU13-25, CPU-08, or CPU-09 (see page 100)
- Multiple colors available (for standard colors, see page 103)
- Additional accessories available (see page 92)

Specifications

- Base footprint: 16"W x 16"D
- Overall height from the floor: 60"

Optional

- Double-monitor holder
- Foldable and retractable keyboard arm and mouse tray
- Additional shelves
- Camera holder




Floor Post
FM50_1F_WS3018
1KB_1C_1WB_00-01



Floor Post
FM50_1F_1AFC7808M
1C_1WB_00-01



Floor Post # FP07



AFC's effective designs, quality manufacturing and concern for customer satisfaction are reflected in our custom furniture. Our engineers and production staff turn our customers' ideas and needs into furniture that is aesthetic, practical and functional. Shown below are a few of our customized products. Contact our customer service department with your requirements.

Custom Designs



Speakeasy Podium™ 84



Custom Desks and Carts 86



Casegoods 89



Miscellaneous 90



Electronically height-adjustable Speakeasy Podium™ 32"W x 28"D with CPU storage, power supply, clock, and switch for light


Speakeasy Podium™

FOR PUBLIC SPEAKING, YOU CAN COUNT ON AFC'S SPEAKEASY PODIUM™ to enhance your presence while easing your task. We have designed multiple styles that are ADA-compliant with height adjustable capabilities. We can also customize the podium to meet your specific requirements.

You may find speaking becomes effortless behind the Speakeasy Podium™.

Electronic Adjustment:

▪ SURFACE HEIGHT



Features and Benefits


- Cold-rolled 11-gauge steel frame with epoxy-powder-coated finish
- Particle-board core top with your choice of high-pressure laminate finish
- Work surface is electronically/pneumatically height adjustable
- Multiple colors available (for standard colors, see page 103)
- Custom sizes available
- 2" or 4" casters (two of them locking)
- Additional accessories available (see page 92)

Specifications


- Width: 18", 24", 30"
- Depth: 18", 24", 30"
- Height ranges from the floor: 43" to 55"




A. Speakeasy Podium™ 32"W x 28"D with CPU storage




B. Speakeasy Podium™ 24"W x 24"D with 15 degree inclination



C. Speakeasy Podium™ 36"W x 36"D with side paneling



D. Speakeasy Podium™ 36"W x 24"D with foldable side extensions (folded size: 18"W x 24"D)



Keypad with LED display and four memory presets



E. Speakeasy Podium™ 19"W x 16"D x 55"H with fixed height



F. Speakeasy Podium™ 30"W x 30"D x 48"H with fixed height

Custom Desks and Carts



A. Control Station



Back view



B. Front Desk



C. Reception Desk



F. Custom Desk



G. Custom Desk



H. Executive Desk



I. Custom Desk



J. Custom Cart



K. Custom Desk



D. Custom Desk



E. Custom Desk with printer shelf



L. Custom Desk



M. Custom Desk



N. Custom Desk



O. Desk with storage drawers



P. Custom Cart



Front view

Rear view

S. Tower Cart



Q. Projector & Laptop Locking Cart



R. Custom Cart



T. Custom Cart



U. Custom Cart



V. Custom Cart



W. Custom Cart



X. Custom Cart



Y. Wire Basket Cart



Z. Rack Mount Cart

Casegoods



A. Cabinet set



B. Bookcase



C. Corner Bookcase



D. Corner Bookcase



E. Mobile Cabinet with a drop-down ramp



F. Storage Cabinet



G. Storage Cabinet



H. Storage Cabinet



I. Corner Storage Cabinet



J. Floor Cabinet



K. Floor Cabinet



L. Floor Cabinet



M. Floor Cabinet with drawers



N. Corner Floor Cabinet

Miscellaneous



A. Display Case with remote controlled rolling shutters



B. Plasma TV lift



C. Kiosk



D. Literature Stand



E. Printer Cabinet & Pullout Shelf Unit



F. Rotating Resource



K. Mobile Storage



L. Mobile Storage



G. Sliding Door Credenza



H. Four Door Credenza with two drawers



M. Mobile Storage



I. Sliding Door Credenza



J. Four Door Credenza



N. Mobile Storage

Accessories



Partitions 94



LCD Monitor Arms/Holders 96

NEW!



Laptop Arms.
CPU Holders..... 100



Keyboard, Mouse & other
Workstation Accessories 100



Lighting, Glides & Casters.
Cable Management & Power
Solutions.
Storage Accessories.....101

Accessories help to optimize ergonomics in your workspace

AFC Industries has an entire division devoted exclusively to designing accessories for every conceivable requirement, from ergonomically correct and functionally optimal monitor mounts to keyboard trays with retractable features and attachments for holding a telephone and/or dictation equipment, and even a beverage cup; from ambient and task lighting solutions for different needs and applications to cable management and much more.

Visit www.afcindustries.com/accessories to learn about our wide array of accessories for a multitude of needs.



Partitions

COMPLETE YOUR WORK AREA USING AFC PARTITIONS. These partitions absorb sound and provide privacy. They also prevent interference from monitors or other light sources. They can be manufactured with a tinted or clear Plexiglas panel across the top so operators can see outside of their "cubicle."

AFC offers both free-standing partitions and partitions affixed to the floor or cart. Our partitions can be configured to suit your application.



E. Metal Partition affixed to the workstation



F. Partitions affixed to the floor



G. Partitions affixed to the floor:
 • Light and sound barrier fiber top
 • Removable lower metal panel allows back CPU access (see sidebar on page 57)
 • Built-in continuous cable management



H. MobiCube™ 64"W x 48"D x 60"H

MobiCube™ panels can roll anywhere or be mounted on AFC's workstations to instantly create a reading-room environment. These partitions use special hinges that allow you to position them at any angle from 0-90°. They can lock into place using the two lockable casters.

The MobiCube™ can either create a cubicle or act as a partition along the length of the room itself, without going through the complexities of installation or building codes, as all our products come fully assembled.



MobiCube™ Configurations

Features and Benefits

- One-inch sound-absorbing fiber with reflector on one side
- Cold-rolled 11-gauge steel frame with epoxy-powder-coated finish
- Prevents light interference
- Can be used as a tack board
- Multiple colors available (for frame colors, see page 103)
- ¼" thick free-standing base


Specifications

- Width: 36", 48", 60", 72"
- Height from the floor: 60", 72"

Optional

- ⅛" tinted or clear Plexiglas top
- Fiber top with removable lower metal panel and built-in continuous cable management
- Free-standing, mobile (2" twin casters), or affixed to the floor/cart

Standard Colors



A. Partition 60"W x 60"H



B. Partition 60"W x 72"H with tinted Plexiglas top



C. Partition 72"W x 72"H



D. Partition 72"W x 72"H with tinted Plexiglas top



LCD Monitor Arms/holders

AFC Industries Inc. provides a variety of solutions for mounting LCD monitors. We offer five categories: **Desktop series, Z-series, Wall Mount series, EZ-series, and Ceiling Mount series.**

Our Desktop series includes three types of VESA-compliant LCD monitor arms: grommet-mounted, base-mounted and clamp-mounted.

Combining style with functionality, the Z-series with articulating monitor arms allows you to position your monitor at any viewing level, angle, and depth from the viewer, providing maximum flexibility. The Z-series comes with a clamp that can also be wall-mounted.



Base-mounted electronically height-adjustable LCD monitor & Keyboard Arm # ERGODT-01

*Want to go from sit to stand at the touch of a button?
Not a problem!*

Install our ERGODT-01 on your existing table/work surface and within minutes you have a complete electronically height-adjustable work space!

Features

- Electronic height adjustment of 19"
- Fully articulating and retractable keyboard arm provides maximum freedom of motion
- VESA 75/100 compliant monitor mount with up/down tilt, right/left swivel and also rotation from portrait to landscape
- Independent vertical adjustable mounts for both the monitor and keyboard to set the desired spacing between the keyboard and monitor at 2-inch increments
- Rear shelf provides space to place CPU if required or just storage space for any of your other equipment



Electronic Adjustment:

- MONITOR/KEYBOARD HEIGHT



Desktop Series

Base-mount AFC03	Base-mount AFC03A	Base-mount PEDPOLARM	Grommet-mount AFC01	Grommet-mount AFCRAIL01 (w/ AFC10F)	Grommet-mount AFCRAIL01 (w/ AFC22)
NEW! Grommet-mount AFC7808_12_DM-01	Grommet-mount AFC78-GR-01	Clamp-mount AFC02	Clamp-mount AFC11	Clamp-mount AFCFLEXOARM	
Clamp-mount AFCSPOLE	Clamp-mount AFCSPOLE2MV-1	Clamp-mount AFCSPOLE2MH-1	Clamp-mount AFCRAIL03	Clamp-mount AFC-KM-COMBO	

Z-Series

AFCZ500-01	AFCZ500-02	AFCZ500-03	AFCZ500-04
AFCRAILZ04-4CLAMP	AFCZ500-05	AFCZ500-06	

Wall Mount Series

AFC10AC	AFC10E	AFC10F	AFC10G	AFC16	AFC18	AFC22	AFC22G
AFC05	AFC11B	AFC12	AFC2530	AFC2346-01	AFC4271-01		
AFCZ500	AFCZ560	AFCZ568	AFCZ500-05-WMH		W2M-BAR		
W3M-BAR	W4M-BAR		AFC105				
NEW! 	NEW! 	NEW! 					
AFC7808M_01_WM-01	AFC7808_12_WMP-01	AFC7808_01_WM-01	AFC78-21-01				
	NEW! 		NEW! Monitor Arm for LCD monitors of sizes ranging from 32" to 50"				
AFC109-KM-01	WM110_4PLE18_4F		WM-AA-3250-UP-LB22				

AFC ALSO OFFERS A VARIETY OF ELECTRONICALLY-ADJUSTABLE MONITOR PLATFORMS that allow you to change the height of the monitors and move them forward and backward at the touch of a button, for superior viewing results. These platforms accommodate up to six LCD monitors (depending on cart size and monitor weight) and can be mounted on all AFC workstations (see the sidebar on page 14 for details).

Ceiling Mount Series

The **Ceiling Mount** is a simple but sturdy LCD monitor arm that allows users to adjust the monitor at their required height and viewing angle. It also allows rotation and tilt positioning of the monitor. Cables can be wired through the tubing for connection to the monitor.

Ceiling Mounts come with a standard VESA 75/100 plate. Non VESA-compliant monitor holders are also available for large-scale LCD monitors.

A. Ceiling Mount # CM-Z

B. LCD Ceiling Suspension # CM-LCD1

C. LCD Ceiling Suspension # CM-LCD4

D. LCD Ceiling Suspension # CM-LCD2

E. Ceiling Mount # AFC107

F. Custom Ceiling Mount for 2 large LCD monitors with CPU compartment

G. Ceiling Mount for large LCD monitors # CMZ-1FZ-V1X3

Ceiling mount on 48" pole

CPU holder with door on one side and mesh on the other

Holders for large LCD monitors

Wall mounting holes

20°

60°

Laptop Arms

	NEW!
Wall-mount AFC7808LP_01_WM-02	
	NEW!
Wall-mount AFCZ566-01-LWM-01	
	NEW!
Desk-mount AFCZ566-01-LPM-01	

CPU Holders

Desk-mount CPU-01	Desk-mount CPU-03	Desk-mount CPU-05	Desk, pole, or wall-mount CPU 13-25	Desk, pole, or wall-mount CPU-04	Desk-mount CPU-17
Wall-mount CPU-06	Wall-mount CPU-08	Wall-mount CPU-903-18-5-18	Wall-mount CPU-16-AFC22	Wall-mount CPU-09	Wall-mount CPU-CS909
Wall-mount CPU-101	Base-mount CPU Cradle CPU-07	Base-mount CPU-99	Mobile CPU Cradle CPU-02	Printer Shelf/Rolling Shelf RS102-1818-01	

Keyboard, Mouse, and other Workstation Accessories

Keyboard Arm & Tray AFC7808K_01_WM-01	Keyboard Arm KA6000	Keyboard Arm KA3656	Keyboard Arm KA7001	Keyboard Arm & Tray WM-TR-M	Keyboard Arm & Tray WM-ZKB-1	Keyboard Tray TR1000	Keyboard Tray TR2000
Keyboard Tray TR3000	Slide-out Keyboard Tray SKB002	Keyboard Tray KB03	Pencil Drawer PD002	Writing Platform RWP-900	Keyboard Storage Drawer KSD01	Wire Basket WB-100	Metal Film Box FB-100
Phone Arm TA001	Phone Arm TA002	Phone Arm TA004B	Dictation Arm TA003B	Scanner Holder S01	Antiseptic Wipe Holder AWH100	Biohazard Waste Holder BWH100	Mouse Holder M001
Palm Rest PAL1000	Rotary Mouse Platform RMP-1	Keyboard Wrist Rest WR006	Cup Holder MCH-100	Side Extension EX	Air Fan FanR1-100	Back Support BS001	Ergonomic Foot Rest FR002

Lighting

Task Light TAL100A	LED Task Light TAL400	Task Light TAL200A	Under-Shelf Light TAL300F	Ambient Light AMBL002	AmbiTask Light Combo AMBL001

Note: AFC offers LED task lighting as well as lighting solutions using halogen or neon fluorescent bulbs. The **AmbiTask Light Combo** can be controlled with independent dimmer switches for total operator regulation of workstation lighting.

Glides & Casters

Adjustable Glide GLID-ADJ	2" Twin Caster w/ brake CAS-2TB
4" Caster CAS-4	4" Caster w/ brake CAS-4B
4" Caster w/ brake CAS-GPB	4" Caster w/ brake CAS-PB





Cable Management and Power Solutions

Cable Manager WM100	Cable Manager WM201	Corrugated Wire Hose WMF200A, B	Grommet Outlet GROM-2	In-Desk USB Hub USB-04	Cable Wrap WM-400
Data & Power Ports DPA-01	Surge-Suppressor Power Strip SS9000	Retractable Power Cord RPC-101	Power Strips SS9003 (8 Plugs) and SS9004 (24 Plugs)		Portable AC Power System PS-TL-1
Wire Manager WMF100					

Storage Accessories


Flipper Cabinet FC	Sliding Door Cabinet SDC	Wood Clipboard Holder
Wood Film Box FB-100-1	Mobile Film Box FB-100	Metal Pedestal with 2 drawers P2BBF19MF
Metal Pedestal with 3 drawers P3BBF19MF	Wood Pedestal with 3 drawers P3BBB15MF	Pedestal with 3 drawers & lock P3BBF19MF

Total Space Solution!




Standard Colors

Laminate



Black



Speckled Gray



Gray




Mahogany



Wild Cherry




Natural Pear



Putty

For any other color call us at 1.800.663.3412

Phenolic plastic



Black

Molding



Black



Gray




Putty


Frame



Black



Gray





Putty

Need help designing your workspace?


- AFC engineers are available to help you design your work area.
- We are available for on-site evaluation of your facility and space design.
- We can provide you with three-dimensional drawings for evaluation of designs before you place your order.

AFC can easily customize all products to adapt to your professional and individual requirements. Whether you need help choosing the right components to configure a product or are considering a complete room redesign, our staff is committed to offering you assistance every step of the way.

We will provide you with complimentary 3-D room drawings, as well as product drawings.



Use our Room Layout Designer to see how you can create an ergonomic environment with AFC's products





13-16 133rd Place • College Point • NY 11356

PRST STD
U.S. Postage
PAID
HMS Printing
Partnership

Thanks


Complimentary Services

AFC Industries, Inc. is here to help you create the most comfortable and productive work environment possible. Our high-quality customer care includes complimentary 3-D product blueprints for all customized designs and detailed floor plans of your facility.

We welcome the opportunity to discuss your needs and find the best furniture solution for your business.

Custom Designs

Rigorous Quality Control



Delivery

We deliver our products fully assembled to ensure maximum quality and convenience for our customers.

Customer Support

1.800.663.3412

Contact Us

Tel: 1.718.747.0237
Fax: 1.718.747.0726

Visit Us

www.afcergonomic.com